











Standard extruded heatsinks

<p>art. no.</p> <p>SK 564 ...</p>		
<p>please indicate: ... \longleftrightarrow 37.5 50 75 100 1000 mm</p>		
<p>art. no.</p> <p>SK 174 ...</p>		
<p>please indicate: ... \longleftrightarrow 75 1000 mm</p>		
<p>art. no.</p> <p>SK 179 ...</p>		
<p>please indicate: ... \longleftrightarrow 37.5 50 100 1000 mm</p>		
<p>art. no.</p> <p>SK 456 ...</p>		
<p>extruded heatsinks for PCB mounting → A 110</p>		
<p>please indicate: ... \longleftrightarrow 37.5 50 75 100 1000 mm</p>		
<p>art. no.</p> <p>SK 420 ...</p>		
<p>please indicate: ... \longleftrightarrow 37.5 75 1000 mm</p>		

High decorative surfaces → A 9
 Order example → A 21
 Heatsink as visual & decor-parts → A 10
 Drilling pattern for Solid State Relais → A 12

Heatsinks for Solid State Relay → A 11 - 12
 Heatsink special design → A 135 - 136
 Special profiles → A 138
 Technical introduction → A 2 - 7

A 30

A

B

C

D

E

F

G

H

I

K

L

M

N