




## WIRE HARNESS CABLE WITH 2\*4.80MM PITCH WIRE-TO-WIRE CRIMPED HOUSINGS (F1)




K480HF1X4

4.80MM PITCH HOUSING P/N 480HF-1X4HW



K480H1



K480HT

### ORDERING INFORMATION:

P/N K xxxxxx xxx - xxx C M

#### 1. HOUSING TYPE AT 2 ENDS:

"480HF" 4.80MM PITCH Ø1.58MM WIRE HOUSING TO HOUSING (WIRING 1:1)

"480H1" DITTO, BUT SAME DIRECTION OF CONTACTS AT 2 ENDS (WIRING 1:N)




"480HT" DITTO, BUT HOUSING TO 3MM TINNED END

#### 2. NO. OF CONTACTS:

1X2, 1X3, 1X4, 2X3, 3X3, 3X4, 3X5

#### 3. LENGTH IN CM (CENTIMETERS)

## WIRE HARNESS CABLE WITH 2\*4.80MM PITCH WIRE-TO-WIRE CRIMPED HOUSINGS (F2)



### ORDERING INFORMATION:

P/N K 1 2 3 CM

1. HOUSING TYPE AT 2 ENDS:

"480HF" 4.80MM PITCH Ø1.58MM WIRE HOUSING TO HOUSING (WIRING 1:1)

"480H1" DITTO, BUT SAME DIRECTION OF CONTACTS AT 2 ENDS (WIRING 1:N)




"480HT" DITTO, BUT HOUSING TO 3MM TINNED END

2. NO. OF CONTACTS:

1X2, 1X3, 1X4, 2X3, 3X3, 3X4, 3X5

3. LENGTH IN CM (CENTIMETERS)

## WIRE HARNESS CABLE WITH 2\*4.80MM PITCH WIRE-TO-WIRE CRIMPED HOUSINGS (F3)



### ORDERING INFORMATION:

P/N K 1 2 3 CM

1. HOUSING TYPE AT 2 ENDS:


- "480HF" 4.80MM PITCH Ø1.58MM WIRE HOUSING TO HOUSING (WIRING 1:1)
- "480H1" DITTO, BUT SAME DIRECTION OF CONTACTS AT 2 ENDS (WIRING 1:N)
- "480HT" DITTO, BUT HOUSING TO 3MM TINNED END

2. NO. OF CONTACTS:



- 1X2, 1X3, 1X4, 2X3, 3X3, 3X4, 3X5

3. LENGTH IN CM (CENTIMETERS)

## WIRE HARNESS CABLE WITH 2\*4.80MM PITCH WIRE-TO-WIRE CRIMPED HOUSINGS (M1)



K480HM1X4



### ORDERING INFORMATION:

P/N K xxxxxx xxx - xxx C M

1            2            3

1. HOUSING TYPE AT 2 ENDS:

"480HM" 4.80MM PITCH Ø1.58MM WIRE HOUSING TO HOUSING (WIRING 1:1)

"480H6" DITTO, BUT SAME DIRECTION OF CONTACTS AT 2 ENDS (WIRING 1:N)

"480HW" DITTO, BUT HOUSING TO 3MM TINNED END

2. NO. OF CONTACTS:

1X2, 1X3, 1X4, 2X3, 3X3, 3X4, 3X5



3. LENGTH IN CM (CENTIMETERS)

## WIRE HARNESS CABLE WITH 2\*4.80MM PITCH WIRE-TO-WIRE CRIMPED HOUSINGS (M2)




K480HM2X3

4.80MM PITCH HOUSING P/N 480HM-2X3HW



K480H6



K480HW

### ORDERING INFORMATION:

P/N K xxxxxx xxx - xx C M

1. HOUSING TYPE AT 2 ENDS:

"480HM" 4.80MM PITCH Ø1.58MM WIRE HOUSING TO HOUSING (WIRING 1:1)

"480H6" DITTO, BUT SAME DIRECTION OF CONTACTS AT 2 ENDS (WIRING 1:N)

"480HW" DITTO, BUT HOUSING TO 3MM TINNED END

2. NO. OF CONTACTS:



1X2, 1X3, 1X4, 2X3, 3X3, 3X4, 3X5

3. LENGTH IN CM (CENTIMETERS)

## WIRE HARNESS CABLE WITH 2\*4.80MM PITCH WIRE-TO-WIRE CRIMPED HOUSINGS (M3)



K480HM3X5



### ORDERING INFORMATION:

P/N K xxxxxx xxx - xx C M

1                    2                    3

1. HOUSING TYPE AT 2 ENDS:

"480HM" 4.80MM PITCH Ø1.58MM WIRE HOUSING TO HOUSING (WIRING 1:1)

"480H6" DITTO, BUT SAME DIRECTION OF CONTACTS AT 2 ENDS (WIRING 1:N)

"480HW" DITTO, BUT HOUSING TO 3MM TINNED END

2. NO. OF CONTACTS:



1X2, 1X3, 1X4, 2X3, 3X3, 3X4, 3X5

3. LENGTH IN CM (CENTIMETERS)

## WIRE HARNESS CABLE WITH 2\*4.80MM PITCH WIRE-TO-WIRE CRIMPED HOUSINGS (M4)



K480HN1X4



### ORDERING INFORMATION:

P/N **K** **x****x****x****x****x****x****x** - **x****x** C M

1. HOUSING TYPE AT 2 ENDS:

"480HN" 4.80MM PITCH Ø1.58MM WIRE HOUSING TO HOUSING (WIRING 1:1)

"480H7" DITTO, BUT SAME DIRECTION OF CONTACTS AT 2 ENDS (WIRING 1:N)

"480HX" DITTO, BUT HOUSING TO 3MM TINNED END

2. NO. OF CONTACTS:



1X2, 1X3, 1X4, 2X3, 3X3, 3X4, 3X5

3. LENGTH IN CM (CENTIMETERS)


## WIRE HARNESS CABLE WITH 2\*4.80MM PITCH WIRE-TO-WIRE CRIMPED HOUSINGS (M5)



K480HN2X3



K480H7



K480HX

### ORDERING INFORMATION:

P/N K xxxxxx xx - xx C M

1            2            3

1. HOUSING TYPE AT 2 ENDS:

"480HN" 4.80MM PITCH Ø1.58MM WIRE HOUSING TO HOUSING (WIRING 1:1)

"480H7" DITTO, BUT SAME DIRECTION OF CONTACTS AT 2 ENDS (WIRING 1:N)

"480HX" DITTO, BUT HOUSING TO 3MM TINNED END

2. NO. OF CONTACTS:

1X2, 1X3, 1X4, 2X3, 3X3, 3X4, 3X5



3. LENGTH IN CM (CENTIMETERS)



## WIRE HARNESS CABLE WITH 2\*4.80MM PITCH WIRE-TO-WIRE CRIMPED HOUSINGS (M6)



K480HN3X5



### ORDERING INFORMATION:

P/N **K** **x****x****x****x****x****x** - **x****x** C M

1. HOUSING TYPE AT 2 ENDS:

"480HN" 4.80MM PITCH Ø1.58MM WIRE HOUSING TO HOUSING (WIRING 1:1)

"480H7" DITTO, BUT SAME DIRECTION OF CONTACTS AT 2 ENDS (WIRING 1:N)

"480HX" DITTO, BUT HOUSING TO 3MM TINNED END

2. NO. OF CONTACTS:

1X2, 1X3, 1X4, 2X3, 3X3, 3X4, 3X5

3. LENGTH IN CM (CENTIMETERS)