



PROFESSIONAL MODULAR CRIMPS, STRIPS & CUTS TOOL



- Tool 200A/200AR design with 10 position punches.
For crimping 8P8C plug, please use AMP 8p8c plug with 2 extra cavities on each side as Fig. 1.
- Tool 2008A/2008AR design with 8 position punches.
For crimping the ordinary 8P8C plug. This kind of 8P plug without additional cavity on each side as Fig. 2.
- Adjusting the 6P guide: use a flat (slot) screw driver to set the guide to right side for crimping normal 6P plug and set the guide to left side for crimping DEC plug.
- Built-in round cable stripper.



HT-200AR/2008AR
8.3" (210mm)
Patented



HT-200A/2008A
8.3" (210mm)
Patented

HT-	For crimping modular plug	Ratchet
200A	10P10C, AMP 8P8C/RJ-45, 6P6C/RJ-12, 6P4C/RJ-11, 4P4C & 4P2C PLUGS & DEC/OFF SET PLUG-6P6C	No
200AR		Yes
2008A	8P8C/RJ-45, 6P6C/RJ-12, 6P4C/RJ-11, 4P4C & 4P2C PLUGS & DEC/OFF SET PLUG-6P6C	No
2008AR		Yes


Replacement blade: HT-RB0809C
Use with HT-S501A/HT-S501B for stripping UTP/STP round wire.

MULTI-MODULAR PLUG CRIMPS, STRIPS & CUTS TOOLS

- Straight motion & professional type, provide precise operation, with key way in 8P modular holder.
- Modular holders are made of AL-ZN. Light weight & durable.
- Cut and strip wire by one operation, easy and efficient.
- With round cable stripper.
- With ratchet mechanism.
- 4P crimper on the back side of the tool.

HT-	For crimping modular plug
N468B	8P8C/RJ-45, 6P6C/RJ-12, 6P4C/RJ-11, 4P4C & 4P2C PLUGS

Replacement blade: HT-RB0809S



4P crimper on the back side



HT-N468B
7.9" (202mm)
Patented

- Deluxe type, frame is made of steel, light weight, compact & durable w/key way in 8P modular holder
- Cut and strip wire by one operation, easy and efficient.
- With round cable stripper.
- 4P crimper on the back side of the tool.

HT-	For crimping modular plug	Ratchet
N5684	8P8C/RJ-45, 6P6C/RJ-12, 6P4C/RJ-11,	No
N5684R	4P4C & 4P2C PLUGS	Yes

Replacement blade: HT-RB08S



HT-N5684
7.5" (191mm)
Patented



HT-N5684R
7.5" (191mm)
Patented

DUAL-MODULAR PLUG CRIMPS, STRIPS & CUTS TOOLS

- Straight motion & professional type, provide precise operation with key way in 8P modular holder
- Modular holders are made of AL-ZN. Alloy light weight & durable.
- Suitable for both stranded & solid wire. (UTP/STP)

HT-	For crimping modular plug	Ratchet
500	8P8C/RJ-45, 6P6C/RJ-12, 6P4C/RJ-11 PLUGS	No
500R	Same as HT-500, but w/ratchet	Yes

Replacement blade: HT-200SC



HT-500R
7.6" (192mm)
Patented

- Deluxe type, frame is made of steel, light weight, compact & durable w/key way in 8P modular holder. HT-546R/568R are with ratchet mechanism.

HT-	For crimping modular plug	Ratchet
546	6P6C/RJ-12, 6P4C/RJ-11, 4P4C & 4P2C	No
546R		Yes
568	8P8C/RJ-45, 6P6C/RJ-12, 6P4C/RJ-11, with round cable stripper	No
568R		Yes

Replacement blade: HT-546/546R...HT-200S
HT-568/568R...HT-RB08S



HT-568R
7.3" (185mm)
Patented



HT-568
7.3" (185mm)
Patented

- All metal constructions, rigid type.
For crimping stranded wire only.

HT-	For crimping modular plug
26B	Normal 6P6C/RJ-12, 6P4C/RJ-11 & 6P British Plug

Replacement blade: HT-200SC

Use with HT-S501A/HT-S501B for stripping UTP/STP round wire.



HT-26B
8" (203mm)
Patented

3 WAY MODULAR TOOL: CRIMPS, STRIPS & CUTS

- For crimping modular plug 8P8C (RJ45) in parallel action
- Cut & strip by one operation. Easy & sffective.
- Light-weight, durable & compact tool
- With round cable stripper.
- With ratchet mechanism.

HT-	Cover plate	Crimping section
L2172R	Black oxide	Plastic
L2182R	Chrome plating	Zinc-aluminum alloy



HT-L2182R
7.7" (195mm)
Patented


- Steel frame, harden & black oxide finished, light weight & durable.
- Deluxe type, w/guide for operation.
- An additional locker for storage after work.

HT-	For crimping modular plug	Repl. Blade
L2140	4P4C & 4P2C	HT-RB06S
L2160	6P6C/RJ12, 6P4C/RJ11 & 6P2C	HT-RB06S
L2180	8P8C/RJ-45 (Available for stripping round cable)	HT-RB0609



HT-2180
7.2" (183mm)
Patented

HT-	For crimping modular plug	Repl. Blade
2094C	4P4C & 4P2C	HT-200S
2096C	6P6C/RJ12, 6P4C/RJ11 & 6P2C	HT-200S
210C	8P8C/RJ-45 (Available for stripping round cable.)	HT-RB08S
2092C	10P10C	HT-RB08S
209C	DEC/OFF SET PLUG 6P6C MMJ	HT-200S



HT-210C
7.5" (190mm)

- Light weight, compact, cost-effective stripper, simple to operate.
- Adjustable stripping blade for different insulation thickness, prevents damage of shielding and conductors.
- The cassette can be reversed to change different coaxial cable.
- Easily to adjust with thumb screw.






HT-	Description
352	Strips outer jacket of UTP and STP cable and CAT-5 round telephone cable Strips RG59/6/11/7 coaxial cable Strips flat telephone cable With cable cutter





HT-352
4.9" (125mm)
Patented

RATCHET TYPE - MODULAR PLUG CRIMPING TOOL

HT-	For crimping modular plug
236-4P	FOR 4P4C/RJ22
236-6P	FOR 6P2C, 6P4C/RJ11, 6P6C/RJ12
236-8P	FOR 8P8C/RJ45
236-68P	FOR 6P2C, 6P4C/RJ11, 6P6C/RJ12, 8P8C/RJ45
236-8PAMP	FOR AMP 8P8C/RJ45 (Secondary strain relief)
236-10P	FOR 10P10C
236BT	FOR 6P BRITISH PLUGS
236DEC	FOR 6P6C DEC/OFF SET
236M5	MORLEX 8P8C/RJ45 PLUG & CABLE O/D AROUND 5.2Φ
236M6	MORLEX 8P8C/RJ45 PLUG & CABLE O/D AROUND 5.2Φ
236Q	HC-002-8S 8P8C/RJ45 SHIELDED PLUGS (Hirose type short body)
236Q1	HIROSE 8P8C/RJ45 SHIELDED PLUGS (Old item no HT-336Q)
236Q3	ADSL 6P4C/RJ11 SHIELDED PLUGS (Old item no HT-336Q3)
236S	STEWART 8P8C/RJ45 SHIELDED PLUGS

236M5 236M6		Molex type
236Q		Hirose type Short body
236Q1		Hirose type
236Q3		ADSL type
236S		Stewart type

○Sharp SK-2 blade for cutter and stripper can be replaced.

HT-	Description
HT-S501A	For  wire (UTP/STP) or  wire and multi conductor cable from 3.2mm-9mm max. Irregular out-shape insulation can be put into the front "V" and "U" guide, rotate the tool 1-3 times by index finger for stripping the outer insulations easily.
HT-S501B	Same as HT-S201A with an additional adjustable knob for fitting different cable sizes.

Body made ABS and fiber glass.

Replacement blade: HT-200S



HT-236Q1
8.7" (220mm)
Patented



HT-236-8P
8.7" (220mm)
Patented



HT-S501A
4.8" (220mm)
Patented



HT-S501B
4.8" (122mm)
Patented


IMPACT AND PUNCH DOWN TOOL

- HT-315DR 5 Pairs 110 Punch Down Tool
- For use on Lan and Telecom, seating 4 or 5 pairs UTP (24 AWG) at a time.
 - Suitable for both 110 type cable side and cross-connect side terminals blocks.
 - The termination block heel w/blades are changeable and reversible. One end for seating and cutting off wires, and the other end for seating wires only.

HT-	Frame	Blade	For terminal block
315BR	HT-3150R	HT-15B	Use on 110 type (4 pairs)
315BKR		HT-15BK	Use on Krone type (4 pairs)
315CR		HT-15C	Use on modular jack (4 pairs)
315DR		HT-15D	Use on 110 type (5 pairs)




HT-315DR
4.3" (108mm)
Patented



HT-15C
(4 pairs)
For modular jack




HT-15D
(5 pairs)



HT-15B
(4 pairs)

- Adjustable impact pressure, Low: 30-35kgs High: 36-40kgs
- Impact 2 pairs at a time

Complete tool	Handle	Blade	For terminal block
HT-365B4	HT-3650	HT-14TB4	Use on 110/88 type keystone jack



HT-14TB4



HT-3650
6.6" (168mm)
Patented

- HT-344 series is with a loaded spring key for changing blades effectively.
- A built-in combination hook/spludger for tracking and removing wires.
- With adjustable On-Off impact selector.

Complete tool	Handle	Replacement head	Description
HT-344KR	HT-3440	HT-44KR 	Use on Krone & 110 terminal block
HT-344W		HT-44W 	Use on Bix type terminal block



HT-344KR
7.2" (188mm)
Patented

IMPACT AND PUNCH DOWN TOOL

- For seating wire into terminal block or cut off wire end after terminated.
- HT-3460R series is with impact & adjustable Hi-Lo pressure selector.
 - A built-in combination hook/spludger for tracing and removing wires.
 - TPR soft-grip handle provides better comfort.
 - Twist-lock style holder provides quick, easy blade changes and prevents pull out. An additional safe storage for one more spare blade.
 - Interchangeable and reversible blades.

Complete tool	Handle	Blade	For terminal block
HT-364R	HT-3460R (Twist-lock type)	HT-14T	Use on 66 type
HT-364AR		HT-14TA	Use on 66 & 110/88 type
HT-364BR		HT-14TB	Use on 110/88 type
HT-364BKR		HT-14TBK	Use on Krone type
HT-364KR		HT-14TK	Use on Krone type (w/scissor)
HT-364WR		HT-14TW	Use on Bix type
HT-364QR		HT-14TQ	Use on Quante type



HT-3640R
6.6" (168mm)
Patented

HT-3540 series is non impact type.


Complete tool	Handle	Blade	For terminal block
HT-354	HT-3540R (Twist-lock type)	HT-14T	Use on 66 type
HT-354A		HT-14TA	Use on 66 & 110/88 type
HT-354B		HT-14TB	Use on 110/88 type
HT-354BK		HT-14TBK	Use on Krone type
HT-354K		HT-14TK	Use on Krone type (w/scissor)
HT-354W		HT-14TW	Use on Bix type
HT-354Q		HT-14TQ	Use on Quante type



HT-3540
4.6" (117mm)
Patented

- Blades are made of hardened SNCM-21.
- All are interchange and reverslide.

HT-14T		HT-14TK	
HT-14TA		HT-14TQ	
HT-14TB		HT-14TW	
HT-14TBK			



Twist-lock Type

	Description
HT-224CB	For 110/88 type insertion use.



HT-224CB
3.3" (84mm)
Patented

IMPACT AND PUNCH DOWN TOOL

- With adjustable impact pressure control.
- The storage on the top of tool is for storing one piece of spare blade.
- Blades are interchangeable and reversible.

Complete tool	Handle	Blade	For terminal block
HT-314	HT-3140	HT-14	Use on 66 type
HT-314A		HT-14A	Use on 66 & 110/88 type
HT-314B		HT-14B	Use on 110/88 type
HT-314C		HT-14C	Use on 66 & 110/88 type (w/o cuts)
HT-314D		HT-14D	Use on 630A modular phone jack
HT-314BK		HT-14BK	Use on Krone type
HT-314P		HT-14P	Use on Panasonic & 110 type



HT-3140
7.7" (180mm)
Patented

- HT-3240 series is with impact function w/o adjustable impact pressure control

Complete tool	Handle	Blade	For terminal block
HT-324	HT-3240	HT-14	Use on 66 type
HT-324A		HT-14A	Use on 66 & 110/88 type
HT-324B		HT-14B	Use on 110/88 type
HT-324C		HT-14C	Use on 66 & 110/88 type (w/o cuts)
HT-324D		HT-14D	Use on 630A modular phone jack
HT-324BK		HT-14BK	Use on Krone type
HT-324P		HT-14P	Use on Panasonic & 110 type



HT-3240
4.5" (114mm)
Patented

- HT-3340 Series is economic type w/o impact function.

Complete tool	Handle	Blade	For terminal block
HT-334	HT-3340	HT-14	Use on 66 type
HT-334A		HT-14A	Use on 66 & 110/88 type
HT-334B		HT-14B	Use on 110/88 type
HT-334C		HT-14C	Use on 66 & 110/88 type (w/o cuts)
HT-334D		HT-14D	Use on 630A modular phone jack
HT-334BK		HT-14BK	Use on Krone type
HT-334P		HT-14P	Use on Panasonic & 110 type



HT-3340
4.5" (114mm)
Patented

- Blades are made of hardened SNCM-21.
All are interchange and reverslide.

HT-14		HT-14P	
HT-14A		HT-14BK	
HT-14B		HT-14D	
HT-14C			